

p_T (GeV/ c)	$R_{\Lambda_c^+/D^0}$
2 – 3	$0.188 \pm 0.095 \pm 0.025$
3 – 4	$0.389 \pm 0.072 \pm 0.029$
4 – 5	$0.349 \pm 0.052 \pm 0.040$
5 – 6	$0.272 \pm 0.049 \pm 0.036$
6 – 8	$0.235 \pm 0.035 \pm 0.032$
y	$R_{\Lambda_c^+/D^0}$
2.0 – 2.5	$0.288 \pm 0.044 \pm 0.029$
2.5 – 3.0	$0.292 \pm 0.048 \pm 0.028$
3.0 – 3.5	$0.246 \pm 0.056 \pm 0.020$
3.5 – 4.5	$0.120 \pm 0.067 \pm 0.011$
$\langle N_{\text{part}} \rangle \pm \sigma_{\text{part}}$	$R_{\Lambda_c^+/D^0}$
6.5 ± 2.5	$0.288 \pm 0.029 \pm 0.034$
12.4 ± 4.4	$0.253 \pm 0.029 \pm 0.022$
26.6 ± 7.5	$0.227 \pm 0.071 \pm 0.024$