

nag_bessel_k0 (s18acc)

1. Purpose

`nag_bessel_k0` (s18acc) returns the value of the modified Bessel function $K_0(x)$.

2. Specification

```
#include <nag.h>
#include <nags.h>

double nag_bessel_k0(double x, NagError *fail)
```

3. Description

This function evaluates an approximation to the modified Bessel function of the second kind, $K_0(x)$. The function is based on Chebyshev expansions.

4. Parameters

x

Input: the argument x of the function.
Constraint: $x > 0.0$.

fail

The NAG error parameter, see the Essential Introduction to the NAG C Library.

5. Error Indications and Warnings

NE_REAL_ARG_LE

On entry, **x** must not be less than or equal to 0.0: $x = \langle value \rangle$.
 K_0 is undefined and the function returns zero.

6. Further Comments

6.1. Accuracy

Let δ and ϵ be the relative errors in the argument and result respectively.

If δ is somewhat larger than the **machine precision** (i.e., if δ is due to data errors etc.), then ϵ and δ are approximately related by $\epsilon \simeq |xK_1(x)/K_0(x)| \delta$.

However, if δ is of the same order as **machine precision**, then rounding errors could make ϵ slightly larger than the above relation predicts.

For small x , the amplification factor is approximately $|1/\ln x|$, which implies strong attenuation of the error, but in general ϵ can never be less than the **machine precision**.

For large x , $\epsilon \simeq x\delta$ and we have strong amplification of the relative error. Eventually K_0 , which is asymptotically given by e^{-x}/\sqrt{x} , becomes so small that it cannot be calculated without underflow and hence the function will return zero. Note that for large x the errors will be dominated by those of the **math library** function `exp`.

6.2. References

Abramowitz M and Stegun I A (1968) *Handbook of Mathematical Functions* Dover Publications, New York ch 9 p 374.

7. See Also

`nag_bessel_k1` (s18adc)

8. Example

The following program reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

8.1. Program Text

```

/* nag_bessel_k0(s18acc) Example Program
 *
 * Copyright 1990 Numerical Algorithms Group.
 *
 * Mark 2 revised, 1992.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

main()
{
    double x, y;

    /* Skip heading in data file */
    Vscanf("%*[^\\n]");
    Vprintf("s18acc Example Program Results\\n");
    Vprintf("      x          y\\n");
    while (scanf("%lf", &x) != EOF)
    {
        y = s18acc(x, NAGERR_DEFAULT);
        Vprintf("%12.3e%12.3e\\n", x, y);
    }
    exit(EXIT_SUCCESS);
}

```

8.2. Program Data

```

s18acc Example Program Data
      0.4
      0.6
      1.4
      1.6
      2.5
      3.5
      6.0
      8.0
     10.0
    1000.0

```

8.3. Program Results

```

s18acc Example Program Results
      x          y
  4.000e-01    1.115e+00
  6.000e-01    7.775e-01
  1.400e+00    2.437e-01
  1.600e+00    1.880e-01
  2.500e+00    6.235e-02
  3.500e+00    1.960e-02
  6.000e+00    1.244e-03
  8.000e+00    1.465e-04
  1.000e+01    1.778e-05
  1.000e+03    0.000e+00

```