Common selections					
	2 "high-purity" tracks, opposite charge				
M selection	$ \eta^{\rm trk}  < 2.5$ , $p_{\rm T}^{\rm trk1} > 20$ GeV, $p_{\rm T}^{\rm trk2} > 5$ GeV, $ \eta^{\rm M}  < 2.1$				
	$0.62 < m_{\pi\pi} < 0.92 \text{ GeV } (\rho^0) / 1.008 < m_{KK} < 1.032 \text{ GeV } (\phi) / 0.84 < m_{K\pi} < 0.94 \text{ GeV } (K^{*0})$				
Category	ggH	VBF high- $p_{ m T}^{\gamma}$	VBF low- $p_{\mathrm{T}}^{\gamma}$	VH	
Trigger	Photon +	high-p <sub>T</sub> photon +	Photon +	Double or single	
	jet with $ au$ -ID	VBF-like jets	jet with $ au$ -ID	lepton	
$p_{\rm T}^{\gamma}$ [GeV]	> 38	> 75	> 38 and < 75	> 40	
$ \eta^{\gamma} $	< 2.5	< 1.4	< 2.1	< 2.5	
$\gamma$ -ID signal eff.	80%	90%	80%	90%	
$p_{\mathrm{T}}^{\mathrm{M}}$ [GeV]	> 38	> 30	> 38	> 40	
$I^{\operatorname{ch}}(M)$	> 0.9	> 0.9	> 0.9	> 0.8	
$I^{\text{neu}}(\mathbf{M})$	> 0.8	-	-	-	
Event	Meson candidate	2 jets with	2 jets with	1 selected and	
tagging	within a jet with	$p_{\mathrm{T}}^{\mathrm{j}} > 40\mathrm{GeV}$	$p_{\mathrm{T}}^{\mathrm{j}} > 30/20\mathrm{GeV}$	isolated $e/\mu$	
	$p_{\rm T}^{\rm J} > 40$ GeV, tracks	$m_{\rm ii} > 400~{ m GeV}$	$m_{\rm ii} > 300~{ m GeV}$	or 2 selected e/ $\mu$	
	with $\Delta R < 0.07$	$ \Delta \eta_{ m jj}  > 3$	$ \Delta \eta_{ m jj}  > 3$	compatible with Z mass	
	BDT categories				
cat0	BDT> 0.55	BDT> 0.7	BDT> 0.7	-	
cat1	-0.4 < BDT < 0.55	-0.6 < BDT < 0.7	-0.6 < BDT < 0.7	-	