

### ECAL barrel ( $|\eta| < 1.46$ )

Working point	Expected	Measured	Scale Factor
Very Loose	$(5.91 \pm 0.62) \cdot 10^{-2}$	$(6.05 \pm 0.63) \cdot 10^{-2}$	$1.02^{+0.05}_{-0.01}$
Loose	$(1.12 \pm 0.12) \cdot 10^{-2}$	$(1.27 \pm 0.14) \cdot 10^{-2}$	$1.14^{+0.03}_{-0.04}$
Medium	$(2.75 \pm 0.31) \cdot 10^{-3}$	$(4.14 \pm 0.46) \cdot 10^{-3}$	$1.50^{+0.12}_{-0.13}$
Tight	$(1.17 \pm 0.13) \cdot 10^{-3}$	$(2.10 \pm 0.24) \cdot 10^{-3}$	$1.80 \pm 0.23$
Very Tight	$(0.67 \pm 0.08) \cdot 10^{-3}$	$(1.27 \pm 0.14) \cdot 10^{-3}$	$1.89^{+0.35}_{-0.32}$

### ECAL endcap ( $|\eta| > 1.56$ )

Working point	Expected	Measured	Scale Factor
Very Loose	$(7.04 \pm 0.74) \cdot 10^{-2}$	$(7.81 \pm 0.81) \cdot 10^{-2}$	$1.11^{+0.05}_{-0.01}$
Loose	$(1.10 \pm 0.12) \cdot 10^{-2}$	$(1.19 \pm 0.13) \cdot 10^{-2}$	$1.09 \pm 0.05$
Medium	$(2.26 \pm 0.26) \cdot 10^{-3}$	$(2.40 \pm 0.27) \cdot 10^{-3}$	$1.06^{+0.17}_{-0.18}$
Tight	$(0.95 \pm 0.11) \cdot 10^{-3}$	$(1.24 \pm 0.14) \cdot 10^{-3}$	$1.30^{+0.32}_{-0.42}$
Very Tight	$(0.54 \pm 0.06) \cdot 10^{-3}$	$(0.91 \pm 0.10) \cdot 10^{-3}$	$1.69^{+0.66}_{-0.68}$