

$$K_1(1270)^- \quad m_0 = 1285.03 \pm 0.47 \pm 1.06 \text{ MeV}/c^2; \Gamma_0 = 90.79 \pm 1.12 \pm 2.54 \text{ MeV}/c^2$$

Partial Fractions [%]

$|g|$

$\arg(g)[^\circ]$

$$\rho(770)^0 K^- \quad 50.66 \pm 0.84 \pm 2.21$$

$$\bar{K}^*(892)^0 \pi^- \quad 25.25 \pm 0.56 \pm 1.80 \quad 0.520 \pm 0.008 \pm 0.024 \quad -133.2 \pm 0.9 \pm 2.2$$

$$[K^- \pi^+]^{L=0} \pi^- \quad 5.97 \pm 0.29 \pm 0.37 \quad 0.390 \pm 0.010 \pm 0.018 \quad 95.2 \pm 1.4 \pm 3.7$$

$$[\bar{K}^*(892)^0 \pi^-]^{L=2} \quad 2.73 \pm 0.14 \pm 0.24 \quad 0.946 \pm 0.028 \pm 0.147 \quad 8.8 \pm 1.7 \pm 2.4$$

$$\omega(782) [\pi^+ \pi^-] K^- \quad 1.73 \pm 0.11 \pm 0.16 \quad 0.208 \pm 0.008 \pm 0.011 \quad 33.0 \pm 2.1 \pm 12.5$$