

Channel	$N(B^-)$	$N(B^+)$	$A_{\text{raw}}$
$B^- \rightarrow D_s^- D^0$ , $D^0 \rightarrow K^- \pi^+$	$13659 \pm 129$	$14209 \pm 132$	$(-2.0 \pm 0.7)\%$
$B^- \rightarrow D_s^- D^0$ , $D^0 \rightarrow K^- \pi^+ \pi^- \pi^+$	$7717 \pm 103$	$7945 \pm 104$	$(-1.5 \pm 0.9)\%$
$B^- \rightarrow D_s^- D^0$ , combined	$21375 \pm 165$	$22153 \pm 168$	$(-1.8 \pm 0.5)\%$
$B^- \rightarrow D^- D^0$ , $D^0 \rightarrow K^- \pi^+$	$678 \pm 32$	$660 \pm 31$	$(1.3 \pm 3.3)\%$
$B^- \rightarrow D^- D^0$ , $D^0 \rightarrow K^- \pi^+ \pi^- \pi^+$	$369 \pm 24$	$345 \pm 24$	$(3.4 \pm 4.7)\%$
$B^- \rightarrow D^- D^0$ , combined	$1047 \pm 40$	$1005 \pm 39$	$(2.0 \pm 2.7)\%$