

	$\rho(770)^0-\omega(782)$	$f_2(1270)$	$\rho(1450)^0$	$\rho_3(1690)^0$	rescattering	σ
$\rho(770)^0-\omega(782)$	$53.3 \pm 0.8 \pm 2.1$	$-1.4 \pm 0.1 \pm 0.6$	$+1.8 \pm 0.6 \pm 1.4$	$+0.2 \pm 0.1 \pm 0.2$	$-0.5 \pm 0.1 \pm 0.1$	$+5.7 \pm 0.4 \pm 0.3$
$f_2(1270)$		$12.6 \pm 0.4 \pm 1.6$	$-0.9 \pm 0.1 \pm 0.3$	$0.0 \pm 0.0 \pm 0.0$	$+0.5 \pm 0.0 \pm 0.1$	$-1.1 \pm 0.1 \pm 0.6$
$\rho(1450)^0$			$4.3 \pm 0.4 \pm 2.9$	$0.0 \pm 0.0 \pm 0.0$	$-0.2 \pm 0.1 \pm 0.1$	$-2.1 \pm 0.2 \pm 0.7$
$\rho_3(1690)^0$				$0.1 \pm 0.0 \pm 0.1$	$0.0 \pm 0.0 \pm 0.0$	$+0.2 \pm 0.1 \pm 0.1$
rescattering					$2.0 \pm 0.2 \pm 0.6$	$-2.9 \pm 0.3 \pm 0.5$
σ						$27.9 \pm 0.7 \pm 1.5$