

q^2 interval [GeV ² /c ⁴]	$d\mathcal{B}(B_s^0 \rightarrow \phi\mu^+\mu^-)/\mathcal{B}(B_s^0 \rightarrow J/\psi\phi)dq^2$ [10 ⁻⁵ GeV ⁻² c ⁴]	$d\mathcal{B}(B_s^0 \rightarrow \phi\mu^+\mu^-)/dq^2$ [10 ⁻⁸ GeV ⁻² c ⁴]
0.1–0.98	7.61 ± 0.52 ± 0.12	7.74 ± 0.53 ± 0.12 ± 0.37
1.1–2.5	3.09 ± 0.29 ± 0.07	3.15 ± 0.29 ± 0.07 ± 0.15
2.5–4.0	2.30 ± 0.25 ± 0.05	2.34 ± 0.26 ± 0.05 ± 0.11
4.0–6.0	3.05 ± 0.24 ± 0.06	3.11 ± 0.24 ± 0.06 ± 0.15
6.0–8.0	3.10 ± 0.23 ± 0.06	3.15 ± 0.24 ± 0.06 ± 0.15
11.0–12.5	4.69 ± 0.30 ± 0.07	4.78 ± 0.30 ± 0.08 ± 0.23
15.0–17.0	5.15 ± 0.28 ± 0.10	5.25 ± 0.29 ± 0.10 ± 0.25
17.0–19.0	4.12 ± 0.29 ± 0.12	4.19 ± 0.29 ± 0.12 ± 0.20
1.1–6.0	2.83 ± 0.15 ± 0.05	2.88 ± 0.15 ± 0.05 ± 0.14
15.0–19.0	4.55 ± 0.20 ± 0.11	4.63 ± 0.20 ± 0.11 ± 0.22