

$B^\pm \rightarrow \pi^\pm \pi^+ \pi^-$	N_{sig}	A_{raw}	A_{CP}
Region 1	$14\,330 \pm 150$	$+0.309 \pm 0.009$	$+0.303 \pm 0.009 \pm 0.004 \pm 0.003$
Region 2	$4\,850 \pm 130$	-0.287 ± 0.017	$-0.284 \pm 0.017 \pm 0.007 \pm 0.003$
Region 3	$2\,270 \pm 60$	$+0.747 \pm 0.027$	$+0.745 \pm 0.027 \pm 0.018 \pm 0.003$
<hr/>			
$B^\pm \rightarrow K^\pm \pi^+ \pi^-$			
Region 1	$41\,980 \pm 280$	$+0.201 \pm 0.005$	$+0.217 \pm 0.005 \pm 0.005 \pm 0.003$
Region 2	$27\,040 \pm 250$	-0.149 ± 0.007	$-0.145 \pm 0.007 \pm 0.006 \pm 0.003$
<hr/>			
$B^\pm \rightarrow \pi^\pm K^+ K^-$			
Region 1	$11\,430 \pm 170$	-0.363 ± 0.010	$-0.358 \pm 0.010 \pm 0.014 \pm 0.003$
Region 2	$2\,600 \pm 120$	$+0.075 \pm 0.031$	$+0.097 \pm 0.031 \pm 0.005 \pm 0.003$
<hr/>			
$B^\pm \rightarrow K^\pm K^+ K^-$			
Region 1	$76\,020 \pm 350$	-0.189 ± 0.004	$-0.178 \pm 0.004 \pm 0.004 \pm 0.003$
Region 2	$37\,440 \pm 320$	$+0.030 \pm 0.005$	$+0.043 \pm 0.005 \pm 0.004 \pm 0.003$