

Table of Contents




Main Web Preferences.....	1
Web Preferences Settings.....	1
Help on Preferences.....	2
Related Topics.....	2
Tools.....	2

Main Web Preferences

The following settings are *web preferences* of the Main web. These preferences overwrite the *site-level preferences* in TWiki.TWikiPreferences and Main.TWikiPreferences, and can be overwritten by *user preferences* (your personal topic, eg: TWikiGuest in the Main web).

Web Preferences Settings

These settings override the defaults for this web only. See full list of defaults with explanation.

- - ◆  Set WEBLOGOIMG = 
 - ◆ Set WEBLOGOURL = <http://www.cern.ch> 
 - ◆ Set WEBLOGOALT = CERN
- Web settings:
 - ◆ Set WEBTOPICLIST = Users | Groups | Changes | Index | Search | Go
 - ◆ Set WEBBGCOLOR = #FFEFA6
 - ◆ Set SITEMAPWHAT = Welcome to TWiki... Users, Groups
 - ◆ Set SITEMAPUSETO = ...see who is registered on this TWiki
 - ◆ Set SITEMAPLIST = on
- Default template for **new topics** for this web:
 - ◆ WebTopicEditTemplate: Default template for new topics in this web. (Site-level is used if topic does not exist)
 - ◆ TWiki.WebTopicEditTemplate: Site-level default topic template
- Comma separated list of **forms** that can be attached to topics in this web. See TWikiForms for more information.
 - ◆ Set WEBFORMS = UserForm
- Users or groups who **are not / are** allowed to **view / change / rename** topics in the Main web: (See TWikiAccessControl). Remove the # to enable any of these settings. Remember that an empty setting is a valid setting; setting DENYWEBVIEW to nothing means that anyone can view the web.
 - ◆ Set DENYWEBVIEW =
 - ◆ Set ALLOWWEBVIEW = CERN-Search-Service, AllUsersGroup
 - ◆ Set DENYWEBCHANGE = TWikiGuest, UnknownUser
 - ◆ Set ALLOWWEBCHANGE = service-twiki-users, cern-accounts
 - ◆ Set DENYWEBRENAME = TWikiGuest
 - ◆ Set ALLOWWEBRENAME =
- Users or groups allowed to change or rename this WebPreferences topic: (e.g., TWikiAdminGroup)
 - ◆ Set ALLOWTOPICCHANGE = TWikiAdminGroup
 - ◆ Set ALLOWTOPICRENAME = TWikiAdminGroup
- Web preferences that are **not** allowed to be overridden by sub-web, user or topic preferences:
 - ◆ Set FINALPREFERENCES = NOSEARCHALL, ATTACHFILESIZELIMIT, WIKIWEBMASTER, WEBCOPYRIGHT, WEBTOPICLIST, DENYWEBVIEW, ALLOWWEBVIEW, DENYWEBCHANGE, ALLOWWEBCHANGE, DENYWEBRENAME, ALLOWWEBRENAME


Help on Preferences

- A preference setting is defined by:
3 or 6 spaces * Set NAME = value
Example:
 - ◆ Set WEBBGCOLOR = #FFFC0
- A preferences setting can be disabled with a # sign. Remove the # sign to enable a local customisation. Example:
 - ◆ #Set DENYWEBCHANGE = UnknownUser
- Preferences are used as TWikiVariables by enclosing the name in percent signs. Example:
 - ◆ When you write variable %WEBBGCOLOR% , it gets expanded to #FFFA6
- The sequential order of the preference settings is significant. Define preferences that use other preferences first, i.e. set WEBCOPYRIGHT before WIKIWEBMASTER since %WEBCOPYRIGHT% uses the %WIKIWEBMASTER% variable.
- You can introduce your own preferences variables and use them in your topics and templates.

Related Topics

- TWiki.TWikiPreferences, Main.TWikiPreferences - site-level preferences
- UserList - list of user topics. User topics can have optional user preferences
- TWikiVariables - list of common %VARIABLES%
- TWikiAccessControl - explains how to restrict access by users or groups

Tools

-  **Rename, move or delete this web:**
 - ◆ **Note:** The Main web cannot be renamed. See also: ManagingWebs

This topic: Main > WebPreferences

Topic revision: r35 - 2024-01-23 - PeterJones



Copyright &© 2008-2024 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.
or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback