

Hadronic energy resolution of a highly granular scintillator-steel hadron calorimeter using software compensation techniques

The CALICE Collaboration

**C. Adloff, J. Blaha, J.-J. Blaising, C. Drancourt, A. Espargilière, R. Gaglione,
N. Geffroy, Y. Karyotakis, J. Prast, G. Vouters**

*Laboratoire d'Annecy-le-Vieux de Physique des Particules, Université de Savoie, CNRS/IN2P3, 9
Chemin de Bellevue BP110, F-74941 Annecy-le-Vieux CEDEX, France*

K. Francis, J. Repond, J. Schlereth, J. Smith*, L. Xia

Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439-4815, USA

E. Baldolemar, J. Li†, S. T. Park, M. Sosebee, A. P. White, J. Yu

Department of Physics, SH108, University of Texas, Arlington, TX 76019, USA

T. Buanes, G. Eigen

University of Bergen, Inst. of Physics, Allegaten 55, N-5007 Bergen, Norway

Y. Mikami, N. K. Watson

*University of Birmingham, School of Physics and Astronomy, Edgbaston, Birmingham B15 2TT,
UK*

G. Mavromanolakis‡, M. A. Thomson, D. R. Ward, W. Yan§

University of Cambridge, Cavendish Laboratory, J J Thomson Avenue, CB3 0HE, UK

D. Benchekrout, A. Hoummada, Y. Khoulaki

Université Hassan II Aïn Chock, Faculté des sciences. B.P. 5366 Maarif, Casablanca, Morocco

M. Benyamna, C. Cârloganu, F. Fehr, P. Gay, S. Manen, L. Royer

*Clermont Université, Université Blaise Pascal, CNRS/IN2P3, LPC, BP 10448, F-63000
Clermont-Ferrand, France*

G. C. Blazey, A. Dyshkant, J. G. R. Lima, V. Zutshi

NICADD, Northern Illinois University, Department of Physics, DeKalb, IL 60115, USA

J. -Y. Hostachy, L. Morin

*Laboratoire de Physique Subatomique et de Cosmologie - Université Joseph Fourier Grenoble 1 -
CNRS/IN2P3 - Institut Polytechnique de Grenoble, 53, rue des Martyrs, 38026 Grenoble CEDEX,
France*

**U. Cornett, D. David, G. Falley, K. Gadow, P. Göttlicher, C. Günter, B. Hermberg,
S. Karstensen, F. Krivan, A. -I. Lucaci-Timoce‡, S. Lu, B. Lutz, S. Morozov,
V. Morgunov¶, M. Reinecke, F. Sefkow, P. Smirnov, M. Terwort, A. Vargas-Trevino**

DESY, Notkestrasse 85, D-22603 Hamburg, Germany

N. Feege, E. Garutti, I. Marchesini, M. Ramilli

*Univ. Hamburg, Physics Department, Institut für Experimentalphysik, Luruper Chaussee 149,
22761 Hamburg, Germany*

P. Eckert, T. Harion, A. Kaplan, H.-Ch. Schultz-Coulon, W. Shen, R. Stamen

*University of Heidelberg, Fakultät für Physik und Astronomie, Albert Uberle Str. 3-5 2.OG Ost,
D-69120 Heidelberg, Germany*

B. Bilki, E. Norbeck, Y. Onel

*University of Iowa, Dept. of Physics and Astronomy, 203 Van Allen Hall, Iowa City, IA
52242-1479, USA*

G. W. Wilson

*University of Kansas, Department of Physics and Astronomy, Malott Hall, 1251 Wescoe Hall
Drive, Lawrence, KS 66045-7582, USA*

K. Kawagoe

Department of Physics, Kyushu University, Fukuoka 812-8581, Japan

P. D. Dauncey, A.-M. Magnan

*Imperial College London, Blackett Laboratory, Department of Physics, Prince Consort Road,
London SW7 2AZ, UK*

M. Wing

*Department of Physics and Astronomy, University College London, Gower Street, London WC1E
6BT, UK*

F. Salvatore**

Royal Holloway University of London, Dept. of Physics, Egham, Surrey TW20 0EX, UK

E. Calvo Alamillo, M.-C. Fouz, J. Puerta-Pelayo

*CIEMAT, Centro de Investigaciones Energeticas, Medioambientales y Tecnologicas, Madrid,
Spain*

**V. Balagura, B. Bobchenko, M. Chadeeva, M. Danilov, A. Epifantsev, O. Markin,
R. Mizuk, E. Novikov, V. Rusinov, E. Tarkovsky**

*Institute of Theoretical and Experimental Physics, B. Chermushkinskaya ul. 25, RU-117218
Moscow, Russia*

N. Kirikova, V. Kozlov, P. Smirnov, Y. Soloviev

*P. N. Lebedev Physical Institute, Russian Academy of Sciences, 117924 GSP-1 Moscow, B-333,
Russia*

**P. Buzhan, B. Dolgoshein, A. Ilyin, V. Kantserov, V. Kaplin, A. Karakash, E. Popova,
S. Smirnov**

*Moscow Physical Engineering Inst., MEPhI, Dept. of Physics, 31, Kashirskoye shosse, 115409
Moscow, Russia*

C. Kiesling, S. Pfau, K. Seidel, F. Simon[♠], C. Soldner, M. Szalay, M. Tesar, L. Weuste

Max Planck Inst. für Physik, Föhringer Ring 6, D-80805 Munich, Germany

**J. Bonis, B. Bouquet, S. Callier, P. Cornebise, Ph. Doublet, F. Dulucq, M. Faucci
Giannelli, J. Fleury, H. Li,† G. Martin-Chassard, F. Richard, Ch. de la Taille, R. Pöschl,
L. Raux, N. Seguin-Moreau, F. Wicek**

*Laboratoire de l'Accélérateur Linéaire, Centre Scientifique d'Orsay, Université de Paris-Sud XI,
CNRS/IN2P3, BP 34, Bâtiment 200, F-91898 Orsay CEDEX, France*

**M. Anduze, V. Boudry, J-C. Brient, D. Jeans, P. Mora de Freitas, G. Musat,
M. Reinhard, M. Ruan, H. Videau**

*Laboratoire Leprince-Ringuet (LLR) – École Polytechnique, CNRS/IN2P3, F-91128 Palaiseau,
France*

B. Bulanek, J. Zacek

*Charles University, Institute of Particle & Nuclear Physics, V Holesovickach 2, CZ-18000 Prague
8, Czech Republic*

**J. Cvach, P. Gallus, M. Havranek, M. Janata, J. Kvasnicka, D. Lednicky,
M. Marcisovsky, I. Polak, J. Popule, L. Tomasek, M. Tomasek, P. Ruzicka, P. Sicho,
J. Smolik, V. Vrba, J. Zalesak**

*Institute of Physics, Academy of Sciences of the Czech Republic, Na Slovance 2, CZ-18221
Prague 8, Czech Republic*

B. Belhorma, H. Ghazlane

*Centre National de l'Energie, des Sciences et des Techniques Nucléaires, B.P. 1382, R.P. 10001,
Rabat, Morocco*

T. Takeshita, S. Uozumi

Shinshu Univ., Dept. of Physics, 3-1-1 Asaki, Matsumoto-shi, Nagano 390-861, Japan

M. Götze, O. Hartbrich, J. Sauer, S. Weber, C. Zeitnitz

*Bergische Universität Wuppertal Fachbereich 8 Physik, Gausstrasse 20, D-42097 Wuppertal,
Germany*

♣ *Corresponding author*

E-mail: fsimon@mpp.mpg.de

ABSTRACT: The energy resolution of a highly granular 1 m^3 analogue scintillator-steel hadronic calorimeter is studied using charged pions with energies from 10 GeV to 80 GeV at the CERN SPS. The energy resolution for single hadrons is determined to be approximately $58\%/\sqrt{E/\text{GeV}}$. This resolution is improved to approximately $45\%/\sqrt{E/\text{GeV}}$ with software compensation techniques. These techniques take advantage of the event-by-event information about the substructure of hadronic showers which is provided by the imaging capabilities of the calorimeter. The energy reconstruction is improved either with corrections based on the local energy density or by applying a single correction factor to the event energy sum derived from a global measure of the shower energy density. The application of the compensation algorithms to GEANT4 simulations yield resolution improvements comparable to those observed for real data.

KEYWORDS: hadronic calorimetry; imaging calorimetry; software compensation.

Contents

1. Introduction	1
2. Energy reconstruction in the AHCAL	2
2.1 Test beam setup	2
2.2 Event selection	3
2.3 Energy reconstruction and intrinsic energy resolution	5
3. Software compensation: motivation and techniques	7
3.1 Local software compensation	9
3.2 Global software compensation	11
4. Results	13
4.1 Application of software compensation to test beam data	13
4.2 Comparison to Monte Carlo simulations	15
5. Conclusion	18

1 Introduction

The physics goals of future high-energy lepton colliders such as the ILC [1] or CLIC [2] put stringent requirements on the detector systems. For example, the efficient event-by-event separation of heavy bosons in hadronic final states requires a jet energy resolution of better than 4% [1]. This is achievable with Particle Flow Algorithms (PFA) combined with highly granular calorimeters [3, 4, 5]. The CALICE collaboration has constructed and extensively studied highly granular electromagnetic and hadronic calorimeter prototypes to evaluate detector technologies for future linear collider experiments. These calorimeters have been successfully operated in various test beam experiments in different configurations at DESY, CERN and Fermilab from 2006 until 2012. The unprecedented granularity of the CALICE calorimeter prototypes allows the structure of hadronic showers to be studied with high spatial resolution, in order to validate different simulation

*Also at University of Texas, Arlington

†Deceased

‡Now at CERN

§Now at Dept. of Modern Physics, Univ. of Science and Technology of China, 96 Jinzhai Road, Hefei, Anhui, 230026, P. R. China

¶On leave from ITEP

||Also at DESY

**Now at University of Sussex, Physics and Astronomy Department, Brighton, Sussex, BN1 9QH, UK

††Now at LPSC Grenoble