

Production process	Best fit value	Uncertainty	
		stat.	syst.
ggH	1.22	+0.14 −0.12  (+0.11) (−0.11)	+0.08 −0.08  (+0.07) (−0.07)
VBF	0.73	+0.30 −0.27  (+0.29) (−0.27)	+0.24 −0.23  (+0.24) (−0.23)
WH	2.18	+0.58 −0.55  (+0.53) (−0.51)	+0.46 −0.45  (+0.43) (−0.42)
ZH	0.87	+0.44 −0.42  (+0.43) (−0.41)	+0.39 −0.38  (+0.38) (−0.37)
ttH	1.18	+0.30 −0.27  (+0.28) (−0.25)	+0.16 −0.16  (+0.16) (−0.15)

Decay mode	Best fit value	Uncertainty	
		stat.	syst.
H → bb	1.12	+0.29 −0.29  (+0.28) (−0.27)	+0.19 −0.18  (+0.18) (−0.18)
H → ττ	1.02	+0.26 −0.24  (+0.24) (−0.22)	+0.15 −0.15  (+0.15) (−0.14)
H → WW	1.28	+0.17 −0.16  (+0.14) (−0.13)	+0.09 −0.09  (+0.09) (−0.09)
H → ZZ	1.06	+0.19 −0.17  (+0.18) (−0.16)	+0.16 −0.15  (+0.15) (−0.14)
H → γγ	1.20	+0.18 −0.14  (+0.14) (−0.12)	+0.13 −0.11  (+0.10) (−0.10)
H → μμ	0.68	+1.25 −1.24  (+1.20) (−1.17)	+1.24 −1.24  (+1.18) (−1.17)