

Parameter	Best fit	Uncertainty		Parameter	Best fit	Uncertainty			
		stat	syst			stat	syst		
$\mu_{\text{ggH}}^{\text{ZZ}}$	1.07	+0.20 -0.18 (+0.19) (-0.16)	+0.16 -0.15 (+0.15) (-0.14)	+0.11 -0.09 (+0.11) (-0.08)	$\mathcal{B}^{\text{bb}} / \mathcal{B}^{\text{ZZ}}$	0.84	+0.37 -0.27 (+0.56) (-0.37)	+0.27 -0.21 (+0.38) (-0.28)	+0.26 -0.17 (+0.40) (-0.25)
$\mu_{\text{VBF}} / \mu_{\text{ggH}}$	0.60	+0.30 -0.24 (+0.40) (-0.32)	+0.24 -0.21 (+0.31) (-0.27)	+0.17 -0.13 (+0.24) (-0.17)	$\mathcal{B}^{\text{tt}} / \mathcal{B}^{\text{ZZ}}$	1.07	+0.37 -0.30 (+0.35) (-0.28)	+0.25 -0.21 (+0.25) (-0.20)	+0.27 -0.22 (+0.25) (-0.19)
$\mu_{\text{WH}} / \mu_{\text{ggH}}$	2.19	+0.86 -0.69 (+0.65) (-0.52)	+0.68 -0.56 (+0.53) (-0.44)	+0.52 -0.39 (+0.39) (-0.29)	$\mathcal{B}^{\text{WW}} / \mathcal{B}^{\text{ZZ}}$	1.23	+0.27 -0.22 (+0.24) (-0.19)	+0.22 -0.18 (+0.19) (-0.16)	+0.16 -0.13 (+0.14) (-0.11)
$\mu_{\text{ZH}} / \mu_{\text{ggH}}$	0.88	+0.57 -0.44 (+0.68) (-0.47)	+0.49 -0.41 (+0.53) (-0.41)	+0.30 -0.17 (+0.43) (-0.23)	$\mathcal{B}^{\text{γγ}} / \mathcal{B}^{\text{ZZ}}$	1.14	+0.28 -0.20 (+0.23) (-0.18)	+0.23 -0.18 (+0.20) (-0.16)	+0.16 -0.09 (+0.11) (-0.08)
$\mu_{\text{ttH}} / \mu_{\text{ggH}}$	1.06	+0.34 -0.27 (+0.36) (-0.30)	+0.20 -0.18 (+0.23) (-0.21)	+0.27 -0.20 (+0.27) (-0.21)	$\mathcal{B}^{\text{μμ}} / \mathcal{B}^{\text{ZZ}}$	0.63	+1.24 -1.21 (+1.26) (-1.19)	+1.24 -1.20 (+1.25) (-1.19)	+0.15 -0.11 (+0.20) (-0.03)