

Search region	p_T^{miss} [GeV]	T1tttt(2000,400)	T1tttt(2200,1200)	T5ttcc(2000,1200)
High Δm , $N_b = 1$, $m_T^b < 175$ GeV, $N_j \geq 7$, $N_{\text{res}} \geq 1$				
10	>500	0.13	0.03	0.08
High Δm , $N_b \geq 2$, $m_T^b < 175$ GeV, $N_j \geq 7$, $N_{\text{res}} \geq 1$				
11	>500	1.64	0.68	0.33
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 1$, $N_{\text{res}} = 0$, $N_W = 0$, $H_T > 1000$ GeV				
12	>650	1.25	0.27	1.96
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 0$, $N_{\text{res}} = 0$, $N_W = 1$, $H_T > 1300$ GeV				
13	>450	0.15	0.03	0.12
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 0$, $N_{\text{res}} = 1$, $N_W = 0$, $H_T > 1000$ GeV				
14	>650	0.55	0.22	0.75
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 1$, $N_{\text{res}} = 0$, $N_W = 1$				
15	>550	0.24	0.06	0.35
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 1$, $N_{\text{res}} = 1$, $N_W = 0$				
16	>450	0.99	0.32	1.24
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 0$, $N_{\text{res}} = 1$, $N_W = 1$				
17	>550	0.13	0.04	0.13
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 2$, $N_{\text{res}} = 0$, $N_W = 0$				
18	>450	0.97	0.17	1.10
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 0$, $N_{\text{res}} = 0$, $N_W = 2$				
19	>250	0.01	0.00	0.03
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $N_t = 0$, $N_{\text{res}} = 2$, $N_W = 0$				
20	>450	0.13	0.11	0.21
High Δm , $N_b = 2$, $m_T^b > 175$ GeV, $(N_t + N_{\text{res}} + N_W) \geq 3$				
21	>250	1.15	0.23	0.06
High Δm , $N_b \geq 3$, $m_T^b > 175$ GeV, $(N_t + N_{\text{res}} + N_W) = 1$				
22	>550	3.01	1.03	1.34
High Δm , $N_b \geq 3$, $m_T^b > 175$ GeV, $(N_t + N_{\text{res}} + N_W) = 2$				
23	>250	4.68	1.68	1.10
High Δm , $N_b \geq 3$, $m_T^b > 175$ GeV, $(N_t + N_{\text{res}} + N_W) \geq 3$				
24	>250	2.43	0.61	0.03