

Cross section variables	dof	χ^2	
		POW+PYT (w. unc.)	STRIPPER (w. unc.)
$p_T(\ell)$	12	32 (19)	17 (17)
$p_T(\ell)$ trailing/ $p_T(\ell)$ leading	10	16 (11)	5 (5)
$p_T(\ell)/p_T(\bar{\ell})$	5	20 (17)	8 (6)
$p_T(\mathbf{b})$ leading	10	6 (5)	8 (8)
$p_T(\mathbf{b})$ trailing	7	7 (5)	4 (1)
$(p_T(\mathbf{b}) + p_T(\bar{\mathbf{b}}))/(p_T(\mathbf{t}) + p_T(\bar{\mathbf{t}}))$	4	24 (19)	9 (8)
$m(\ell\bar{\ell})$	12	31 (25)	13 (13)
$m(\mathbf{b}\bar{\mathbf{b}})$	7	21 (16)	80 (72)
$m(\ell\bar{\ell}\mathbf{b}\bar{\mathbf{b}})$	19	36 (19)	16 (15)
$p_T(\ell\bar{\ell})$	9	4 (3)	6 (3)
$ \eta(\ell\bar{\ell}) $	14	16 (10)	41 (24)
$[\eta(\ell\bar{\ell}) , m(\ell\bar{\ell})]$	24	55 (29)	80 (59)
$[\eta(\ell\bar{\ell}) , p_T(\ell\bar{\ell})]$	20	30 (15)	46 (28)
$[p_T(\ell\bar{\ell}), m(\ell\bar{\ell})]$	30	50 (39)	51 (51)