

B decay	D decay	Method	Ref.	Dataset [†]	Status since last combination [3]
$B^+ \rightarrow DK^+$	$D \rightarrow h^+h^-$	GLW	[14]	Run 1 & 2	Minor update
$B^+ \rightarrow DK^+$	$D \rightarrow h^+h^-$	ADS	[15]	Run 1	As before
$B^+ \rightarrow DK^+$	$D \rightarrow h^+\pi^-\pi^+\pi^-$	GLW/ADS	[15]	Run 1	As before
$B^+ \rightarrow DK^+$	$D \rightarrow h^+h^-\pi^0$	GLW/ADS	[16]	Run 1	As before
$B^+ \rightarrow DK^+$	$D \rightarrow K_S^0 h^+h^-$	GGSZ	[17]	Run 1	As before
$B^+ \rightarrow DK^+$	$D \rightarrow K_S^0 h^+h^-$	GGSZ	[18]	Run 2	New
$B^+ \rightarrow DK^+$	$D \rightarrow K_S^0 K^+\pi^-$	GLS	[19]	Run 1	As before
$B^+ \rightarrow D^*K^+$	$D \rightarrow h^+h^-$	GLW	[14]	Run 1 & 2	Minor update
$B^+ \rightarrow DK^{*+}$	$D \rightarrow h^+h^-$	GLW/ADS	[20]	Run 1 & 2	Updated results
$B^+ \rightarrow DK^{*+}$	$D \rightarrow h^+\pi^-\pi^+\pi^-$	GLW/ADS	[20]	Run 1 & 2	New
$B^+ \rightarrow DK^+\pi^+\pi^-$	$D \rightarrow h^+h^-$	GLW/ADS	[21]	Run 1	As before
$B^0 \rightarrow DK^{*0}$	$D \rightarrow K^+\pi^-$	ADS	[22]	Run 1	As before
$B^0 \rightarrow DK^+\pi^-$	$D \rightarrow h^+h^-$	GLW-Dalitz	[23]	Run 1	As before
$B^0 \rightarrow DK^{*0}$	$D \rightarrow K_S^0 \pi^+\pi^-$	GGSZ	[24]	Run 1	As before
$B_s^0 \rightarrow D_s^\mp K^\pm$	$D_s^+ \rightarrow h^+h^-\pi^+$	TD	[25]	Run 1	Updated results
$B^0 \rightarrow D^\mp \pi^\pm$	$D^+ \rightarrow K^+\pi^-\pi^+$	TD	[26]	Run 1	New

[†] Run 1 corresponds to an integrated luminosity of 3 fb^{-1} taken at centre-of-mass energies of 7 and 8 TeV . Run 2 corresponds to an integrated luminosity of 2 fb^{-1} taken at a centre-of-mass energy of 13 TeV .