

Parameter	$\mathcal{R}_{B_s^0, \rho^0 \rightarrow \pi^+ \pi^-}^{B_s^0, \eta \rightarrow \gamma\gamma}$	$\mathcal{R}_{B_s^0, \rho^0 \rightarrow \pi^+ \pi^-}^{B_s^0, \eta \rightarrow \pi^+ \pi^- \pi^0}$	$\mathcal{R}_{B_s^0, \rho^0 \rightarrow \pi^+ \pi^-}^{B_s^0, \eta' \rightarrow \rho^0 \gamma}$	$\mathcal{R}_{B_s^0, \rho^0 \rightarrow \pi^+ \pi^-}^{B_s^0, \eta' \rightarrow \eta \pi^+ \pi^-}$	$\mathcal{R}_{B_s^0, \rho^0 \rightarrow \pi^+ \pi^-}^{B_s^0, \eta' \rightarrow \eta \pi^+ \pi^-}$
η_{corr}	7.6	8.0	3.8	7.8	—
π^\pm reco	2×1.8	—	—	—	—
Trigger	1.1	1.1	1.1	1.1	1.1
Fit function	+5.1 -3.7	+5.0 -4.3	+5.0 -5.7	+5.0 -8.7	+5.0 -8.7
$\mathcal{B}(\eta, \eta', \omega)$	0.5	1.2	2.1	1.6	—