

| q^2 (GeV ² /c ⁴) | N_{sig} | $d\mathcal{B}/d\text{II}^\epsilon$ (10 ⁻⁷ GeV ⁻² c ⁴) |
|---|------------------|---|
| 0.10 – 2.00 | 140 ± 13 | 0.60 ± 0.06 ± 0.05 ± 0.04 ^{+0.00} _{-0.05} |
| 2.00 – 4.30 | 73 ± 11 | 0.30 ± 0.03 ± 0.03 ± 0.02 ^{+0.00} _{-0.02} |
| 4.30 – 8.68 | 271 ± 19 | 0.49 ± 0.04 ± 0.04 ± 0.03 ^{+0.00} _{-0.04} |
| 10.09 – 12.86 | 168 ± 15 | 0.43 ± 0.04 ± 0.04 ± 0.03 ^{+0.00} _{-0.03} |
| 14.18 – 16.00 | 115 ± 12 | 0.56 ± 0.06 ± 0.04 ± 0.04 ^{+0.00} _{-0.05} |
| 16.00 – 19.00 | 116 ± 13 | 0.41 ± 0.04 ± 0.04 ± 0.03 ^{+0.00} _{-0.03} |
| 1.00 – 6.00 | 197 ± 17 | 0.34 ± 0.03 ± 0.04 ± 0.02 ^{+0.00} _{-0.03} |