

Item	Acceptance	Background model	Fit model	Resonance parameters	Total
Fit fractions (%)					
$\rho(770)$	± 0.3	± 0.6	$+3.2$ -1.8	± 1.1	$+3.4$ -2.2
$f_0(500)$	± 0.3	± 0.7	$+1.2$ -2.7	± 2.2	$+2.6$ -3.5
$f_2(1270)$	± 0.1	± 0.2	$+0.1$ -0.5	± 0.3	$+0.4$ -0.6
$\omega(782)$	± 0.12	± 0.02	$+0.11$ -0.03	± 0.03	$+0.17$ -0.13
$f_0(980)$	± 0.01	$+0.03$ -0.02	$+0.37$ -0.04	± 0.03	$+0.37$ -0.05
$\rho(1450)$	± 0.15	± 1.3	$+2.3$ -1.9	± 4.0	± 4.7
$\rho(1700)$	± 0.13	± 0.7	$+0.7$ -0.9	± 2.9	± 3.0
Transversity 0 fractions (%)					
$\rho(770)$	± 0.5	± 0.5	$+1.0$ -3.0	± 0.5	$+1.3$ -3.1
$f_2(1270)$	± 0.5	± 1.7	$+0.8$ -2.9	± 1.0	$+2$ -4
$\omega(782)$	± 0.4	± 2.1	$+3.5$ -0.6	± 1.5	$+4$ -3
$\rho(1450)$	± 0.7	± 8.2	$+2.0$ -18.4	± 11.1	$+14$ -23
$\rho(1700)$	± 0.6	± 9.9	$+0.4$ -18.3	± 8.7	$+13$ -23
Transversity fractions (%)					
$\rho(770)$	± 0.3	± 0.5	$+0.1$ -0.8	± 0.8	$+1.0$ -1.3
$f_2(1270)$	± 0.4	± 1.0	$+1.3$ -1.4	± 1.3	$+2$ -2
$\omega(782)$	± 0.4	± 2.0	$+0.6$ -3.3	± 1.5	$+3$ -4
$\rho(1450)$	± 0.6	± 5.1	$+3.0$ -8.4	± 4.4	$+7$ -11
$\rho(1700)$	± 1.0	± 4.2	$+3.3$ -7.9	± 4.0	$+7$ -10
Transversity \perp fractions (%)					
$\rho(770)$	± 0.3	± 0.3	$+3.8$ -0.9	± 0.6	$+3.8$ -1.2
$f_2(1270)$	± 0.3	± 0.9	$+4.3$ -1.9	± 0.7	$+4$ -2
$\omega(782)$	± 0.1	± 0.2	$+0.1$ -0.2	± 0.4	± 0.5
$\rho(1450)$	± 0.6	± 3.4	$+26.8$ -0.0	± 9.3	$+29$ -10
$\rho(1700)$	± 0.7	± 6.2	$+26.2$ -0.0	± 5.9	$+28$ -9
Ratio of fit fractions (%)					
$f_0(980)/f_0(500)$	± 0.09	± 0.17	$+2.1$ -0.1	± 2.6	$+3.3$ -2.6
$\omega(782)/\rho(770)$	± 0.19	± 0.04	$+0.21$ -0.10	± 0.05	$+0.29$ -0.22