

Ratio	Theory		Experiment	
	$\theta_{\eta-\eta'} = 19.5^\circ$	$\theta_{\eta-\eta'} = 11.7^\circ$	GLASS	LASS
$\frac{A(K^*(892)^- K^+)}{A(K^*(892)^+ K^-)}$	$0.685 \pm 0.032$	$0.685 \pm 0.032$	$0.582 \pm 0.007 \pm 0.007$	$0.576 \pm 0.005 \pm 0.010$
$\frac{A(\bar{K}^*(892)^0 K^0)}{A(K^*(892)^+ K^-)}$	$0.138 \pm 0.033$	$0.307 \pm 0.035$	$0.297 \pm 0.010 \pm 0.024$	$0.295 \pm 0.009 \pm 0.014$
$\frac{A(K^*(892)^0 \bar{K}^0)}{A(K^*(892)^+ K^-)}$	$0.138 \pm 0.033$	$0.307 \pm 0.035$	$0.333 \pm 0.008 \pm 0.016$	$0.345 \pm 0.007 \pm 0.010$

Argument	Theory ( $^\circ$ )		Experiment ( $^\circ$ )	
$\frac{(\bar{K}^*(892)^0 K^0)}{(K^*(892)^+ K^-)}$	$151 \pm 14$	$112 \pm 8$	$72 \pm 2 \pm 4$	$78.5 \pm 2.0 \pm 2.8$
$\frac{(K^*(892)^0 \bar{K}^0)}{(K^*(892)^- K^+)}$	$-9 \pm 13$	$-37 \pm 6$	$-4 \pm 2 \pm 9$	$5.0 \pm 1.7 \pm 1.4$
$\frac{(K^*(892)^0 \bar{K}^0)}{(\bar{K}^*(892)^0 K^0)}$	180	180	$-78 \pm 16 \pm 10$	$-75 \pm 15 \pm 2$