

Source of systematic uncertainty	Uncertainty on parameter				
	No CPV				
	$R_D[10^{-3}]$	$y'[10^{-3}]$	$x'^2[10^{-4}]$		
$D^{*+}\mu^+$ scaling	0.01	0.04	0.04		
$A(K\pi)$ time dependence	0.01	0.07	0.04		
RS fit model time variation	0.00	0.01	0.03		
No prompt veto	0.01	0.16	0.09		
Total	0.01	0.18	0.11		
	No direct CPV				
	$R_D[10^{-3}]$	$y'^+[10^{-3}]$	$(x'^+)^2[10^{-4}]$	$y'^-[10^{-3}]$	$(x'^-)^2[10^{-4}]$
$D^{*+}\mu^+$ scaling	0.01	0.04	0.04	0.03	0.04
$A(K\pi)$ time dependence	0.01	1.17	0.98	1.64	1.67
RS fit model time variation	0.00	0.02	0.03	0.01	0.03
No prompt veto	0.01	0.11	0.00	0.19	0.19
Total	0.01	1.17	0.98	1.66	1.68
	All CPV allowed				
	$R_D^+[10^{-3}]$	$y'^+[10^{-3}]$	$(x'^+)^2[10^{-4}]$	$R_D^-[10^{-3}]$	$y'^-[10^{-3}]$
$D^{*+}\mu^+$ scaling	0.01	0.03	0.04	0.01	0.04
$A(K\pi)$ time dependence	0.06	0.25	0.03	0.07	0.28
RS fit model time variation	0.00	0.01	0.01	0.00	0.04
No prompt veto	0.01	0.09	0.01	0.01	0.21
Potential fit biases	0.00	0.18	0.30	0.00	0.18
Total	0.06	0.32	0.31	0.07	0.40