

Table of Contents

RSS News Feeds.....	1
Find out What's New.....	1
RSS Feed Usage.....	1
RSS Feed Internals.....	1

RSS News Feeds

Find out What's New

There are several ways to find out what's new in each TWiki web:

1. Visit WebChanges to see recent changes
2. Subscribed in WebNotify get notified of recent changes by e-mail
3. Use a news readers such as TWiki:Plugins/HeadlinesPlugin² to display the recent changes
 - ◆ The source can be a RSS 1.0 feed (WebRss) or ATOM 1.0 feed (WebAtom)
 - ◆ Learn more on RSS at TWiki:Codev/TWikiSyndication²
 - ◆ Learn more on ATOM at WebAtomBase and TWiki:Codev/AtomSyndication²

RSS Feed Usage

- The URL for an RSS feed is <https://twiki.cern.ch/twiki/bin/view/<web>/WebRss>
- For this TWiki web it is <https://twiki.cern.ch/twiki/bin/view/TWiki/WebRss>
- You can also create a custom feed based on a search. Add a `search=value` parameter to the URL, e.g. <https://twiki.cern.ch/twiki/bin/view/TWiki/WebRss?search=plugin> is a what's new feed about Plugins.

RSS Feed Internals

Each web has a WebRss topic which includes part of this WebRssBase topic. This topic is the base for the RSS feed and generates an RSS 1.0 feed for TWiki:Codev/TWikiSyndication².

The WebRss topic in each web contains the following text:

```
<channel rdf:about="%SCRIPTURL{"view"}%/%INCLUDINGWEB%">
  <title>%WIKITOOLNAME%'s <nop>%INCLUDINGWEB% web</title>
  <link>%SCRIPTURL{"view"}%/%INCLUDINGWEB%</link>
  <description>(the description of the web). TWiki is a Web-Based Collaboration Platform f
  %INCLUDE{"TWiki.WebRssBase"}% <!--
    * Set SKIN = rss
  -->
```

Below part is included by each WebRss topic:

```
%STARTINCLUDE%<image rdf:resource="%WIKILOGOIMG%" />
<dc:language>en-us</dc:language>
<dc:rights>%WEBRSSCOPYRIGHT%</dc:rights>
<dc:publisher>%WIKIWEBMASTERNAME% [%WIKIWEBMASTER%]</dc:publisher>
<dc:creator>The contributing authors of %WIKITOOLNAME%</dc:creator>
<dc:source>%WIKITOOLNAME%</dc:source>
<items>
  <rdf:Seq>
    %SEARCH{ "%URLPARAM{"search" encode="quote" default=".*" }%" web="%URLPARAM{"web" encode="q
      </rdf:Seq>
    </items>
  </channel>
<image rdf:about="%WIKILOGOALT%.%INCLUDINGWEB%">
  <title>%WIKILOGOALT%.%INCLUDINGWEB%</title>
  <link>%SCRIPTURL{"view"}%/%INCLUDINGWEB%</link>
  <url>%WIKILOGOIMG%</url>
</image>
```

```
%SEARCH{ "%URLPARAM{ \"search\" encode=\"quote\" default=\".*\" } %" web="%URLPARAM{ \"web\" encode=\"q%STOPINCLUDE%"}
```

See also: WebAtomBase, TWiki:Codev/RichSiteSummary[↗], TWiki:Codev/TWikiSyndication[↗]

This topic: TWiki > WebRssBase

Topic revision: r9 - 2008-12-01 - TWikiContributor



POWERED BY

Copyright &© 2008-2024 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

or Ideas, requests, problems regarding TWiki? use Discourse or Send feedback

Note: Please contribute updates to this topic on TWiki.org at TWiki:TWiki.WebRssBase