

Category	$\rho(770)^0$	$\omega(782)$	$f_2(1270)$	$\rho(1450)^0$	$\rho_3(1690)^0$	S-wave	Rescattering	$\sigma$
<i>B</i> mass fit	0.23	0.01	0.68	0.07	0.03	0.40	0.16	0.02
Efficiency								
Simulation sample size	0.10	< 0.01	0.06	0.05	0.01	0.08	0.02	0.09
Binning	0.07	< 0.01	0.03	0.08	0.02	0.09	0.01	0.08
L0 Trigger	0.02	< 0.01	< 0.01	< 0.01	< 0.01	0.02	< 0.01	0.02
Combinatorial bkgd	0.26	< 0.01	0.14	0.15	0.03	0.28	0.04	0.31
$B^+ \rightarrow K^+ \pi^+ \pi^-$	0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01	< 0.01	0.01
Fit bias	0.03	< 0.01	0.01	0.01	0.01	0.04	< 0.01	0.04
Total experimental	0.37	0.01	0.69	0.19	0.05	0.5	0.17	0.34
Amplitude model								
Resonance properties	0.63	0.01	0.17	0.39	0.05	0.29	0.01	0.41
Barrier factors	0.82	0.01	0.18	0.40	0.01	0.05	0.04	0.17
Alternative lineshapes								
$f_2(1270)$	0.23	< 0.01	0.68	0.07	0.03	0.40	0.16	0.02
$f_2(1430)$	0.40	< 0.01	0.88	0.25	0.10	0.90	0.21	0.66
$\rho(1700)^0$	0.88	0.02	0.09	1.28	0.01	0.01	< 0.01	< 0.01
Isobar specifics								
$\sigma$ from PDG	2.00	0.03	0.69	1.18	0.32	3.40	0.35	4.90
Rescattering	0.01	< 0.01	0.19	0.03	< 0.01	0.11	0.07	0.24
Total model	2.46	0.04	1.35	1.85	0.34	3.55	0.45	4.97
Statistical uncertainty	0.60	0.03	0.28	0.29	0.08	0.49	0.15	0.48